



1 **EU-TYPE EXAMINATION CERTIFICATE**

2 Equipment intended for use in Potentially Explosive Atmospheres Directive 2014/34/EU

3 Certificate Number: **Sira 17ATEX1243X** Issue: **3**

4 Equipment: **OME Series Explosion-proof Quarter-Turn Actuators**

5 Applicant: **Sun Yeh Electrical Ind. Co., Ltd.**

6 Address: **No. 68, Lane 854
Sec. 1, Shatian Rd.
Dadu District
Taichung City
TW-43244
Taiwan**

7 This equipment and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

8 CSA Group Netherlands B.V., notified body number 2813 in accordance with Articles 17 and 21 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in the confidential reports listed in Section 14.2.

9 Compliance with the Essential Health and Safety Requirements, with the exception of those listed in the schedule to this certificate, has been assured by compliance with the following documents:

EN IEC 60079-0:2018 EN 60079-1:2014 EN 60079-31:2014

10 If the sign 'X' is placed after the certificate number, it indicates that the equipment is subject to Specific Conditions of Use identified in the schedule to this certificate.

11 This EU-Type Examination Certificate relates only to the design and construction of the specified equipment. If applicable, further requirements of this Directive apply to the manufacture and supply of this equipment.

12 The marking of the equipment shall include the following:



II 2GD
Ex db IIB T4 Gb
Ex tb IIIC T130°C Db IP68
Ta = -30°C ≤ Tamb ≤ +70°C

Project Number 80039658

Signed: J A May

Title: Director of Operations

This certificate and its schedules may only be reproduced in its entirety and without change

CSA Group Netherlands B.V.
Utrechtseweg 310,
6812 AR, Arnhem,
Netherlands



SCHEDULE

EU-TYPE EXAMINATION CERTIFICATE

Sira 17ATEX1243X
Issue3

13 DESCRIPTION OF EQUIPMENT

The OME Series Explosion-proof Quarter-Turn Actuators are designed to provide control of valves. It comprises of a coated aluminium main body and cover. The cover is secured by means of four hexagonal head cap head screws, forming a cylindrical flameproof joint with the main body.

The enclosure houses a motor and associated electronics, which drive a carbon steel transmission shaft via a mechanical transmitting unit. Some models within the series are fitted with a rotating drive handle that may be used to manually operate the mechanical transmitting unit when it is de-energised. Additionally the enclosure may be fitted with an optional heater.

The flameproof enclosure has a mechanical indicator at the upper end of the cover to show the position of the actuator valve, which can be viewed through the toughened glass window, sealed via a cemented joint.

The internal motor winding contains a bimetallic strip for thermal protection, which is set to operate at 125°C. The motor is provided with class F insulation.

The equipment provides a degree of ingress protection IP68 (7 metres for 72 hours), which is maintained by O-ring seals in each joint and oil seals in the interface between the main body housing and transmission/drive handle shafts.

The flameproof main body housing features a cylindrical flameproof joint with both the transmission shaft and drive handle shaft (where fitted). Externally it is fitted with two threaded cable entries, for types OME-1, OME-A and OME-AM, either M20x1.5 or 1/2" NPT, and for types OME-2 through OME- 8, either M20 X1.5, M25 X 1.5, 1/2" NPT, or 3/4" NPT. Each cable entry is supplied fitted with stainless steel blanking plugs, which may be replaced by the end user with a suitably certified and rated flameproof cable entry device.

OME Series Explosion-proof Quarter-Turn Actuators

Type References

OME-X1-X2-X3-X4 Series

Where:

OM stands for Quarter-Turn Actuator.

E stands for Explosion-proof.

X1 stands for type (1, A, AM, 2, 3, 4, 5, 6, 7, 8).

X2 stands for voltage (D12 stands for 12VDC, 12 stands for 12VAC, D24 stands for 24VDC, 24 stands for 24VAC, 100 stands for 100VAC, 120 stands for 110-120VAC, 200 stands for 200VAC, 220 stands for 220-240VAC).

X3 stands for controlling method (M stands for Modulating, F stands for Floating).

X4 Duty rating: 30, 75.

Variation 1 - This variation introduced the following changes:

- i. The introduction of a 'D' Shaped drive to the worm shaft.
- ii. The reinforcement of the top cover.
- iii. The inclusion of a cylindrical portion at the tip of the Screw.
- iv. Typographical correction of the material of the Casting End Cap.
- v. The amendment of NPT threaded Blanking Elements.



SCHEDULE

EU-TYPE EXAMINATION CERTIFICATE

Sira 17ATEX1243X
Issue3

- vi. The recognition of minor administrative drawing modifications including typographical additions, clarifications or corrections.
- vii. The introduction of transparent paint on labels.
- viii. Following appropriate assessment to demonstrate compliance with the latest technical knowledge, EN 60079-0:2012 and EN 60079-1:2014 were replaced by EN IEC 60079-0:2018 and EN 60079-1:2014/AC:2018-09, the Specific Conditions of Use and the Markings were amended to recognise the new standards

Variation 2 - This variation introduced the following changes:

- i. Change the type key and related ratings as follows:

Previous	New
110 stands for 110VAC 120 stands for 120VAC	120 stands for 110-120VAC
220 stands for 220VAC 240 stands for 240VAC	220 stands for 220-240VAC

- ii. Revision of name plate drawings to remove "R.O.C." from the address and change Applicant's and Manufacturer's Name & Address in the report summary to remove "R.O.C." from the address and separate ATEX and IECEx name plate drawings
- iii. Change of opening indicator type.
- iv. Change of transmission shaft length.
- v. Correction of assessment standards in the certificate.

14 DESCRIPTIVE DOCUMENTS

14.1 Drawings

Refer to Certificate Annexe.

14.2 Associated Sira Reports and Certificate History

Issue	Date	Report number	Comment
0	10 August 2017	R70144294A	The release of the prime certificate.
1	21 March 2019	R70211225A	The introduction of Variation 1.
2	31 October 2019	0816	Transfer of certificate Sira 17ATEX1243X from Sira Certification Service to CSA Group Netherlands B.V.
3	13 August 2020	R80039658A	The introduction of Variation 2.

15 SPECIFIC CONDITIONS OF USE (denoted by X after the certificate number)

- 15.1 The flamepaths in this equipment are different to the standard dimensions given in IEC 60079-1. If specific flamepath dimensions are required then the manufacturer (OEM) must be contacted.
- 15.2 CAUTION- USE FASTENERS WITH YIELD STRESS \geq 700MPa.

16 ESSENTIAL HEALTH AND SAFETY REQUIREMENTS OF ANNEX II (EHSRs)

The relevant EHSRs that are not addressed by the standards listed in this certificate have been identified and individually assessed in the reports listed in Section 14.2.

Certificate Annexe



Certificate Number: Sira 17ATEX1243X

Equipment: OME Series Explosion-proof Quarter-Turn Actuators

Applicant: Sun Yeh Electrical Ind. Co., Ltd.

Issue 0

Drawing	Sheets	Ver.	Date (Sira Stamp)	Title
OME-1-□-F-□, OME-A-□- F-□, OME-AM-□- F-□, OME-1-□-M-□, OME-A-□- M-□, OME-AM-□-M-□ Explosion-proof Quarter-Turn Actuator				
Ex 10044-1/2	1 of 1	1	21 Jul 17	OME-1-F Explosion-proof Quarter-Turn Actuator
Ex 10044-2/2	1 of 1	1	21 Jul 17	OME-1-F Explosion-proof Quarter-Turn Actuator
Ex 10050-1/2	1 of 1	1	21 Jul 17	OME-A-F Explosion-proof Quarter-Turn Actuator
Ex 10050-2/2	1 of 1	1	21 Jul 17	OME-A-F Explosion-proof Quarter-Turn Actuator
Ex 10051-1/2	1 of 1	1	21 Jul 17	OME-AM-F Explosion-proof Quarter-Turn Actuator
Ex 10051-2/2	1 of 1	1	21 Jul 17	OME-AM-F Explosion-proof Quarter-Turn Actuator
Ex 10047-1/2	1 of 1	1	21 Jul 17	OME-1-M Explosion-proof-Modulating controller Quarter-Turn Actuator
Ex 10047-2/2	1 of 1	1	21 Jul 17	OME-1-H Explosion-proof-Modulating controller Quarter-Turn Actuator
Ex 10048-1/2	1 of 1	1	21 Jul 17	OME-A-M Explosion-proof Quarter-Turn Actuator (modulating controller)
Ex 10048-2/2	1 of 1	1	21 Jul 17	OME-A-M Explosion-proof Quarter-Turn Actuator (modulating controller)
Ex 10049-1/2	1 of 1	1	21 Jul 17	OME-AM-M Explosion-proof Quarter-Turn Actuator (modulating controller)
Ex 10049-2/2	1 of 1	1	21 Jul 17	OME-AM-M Explosion-proof Quarter-Turn Actuator (modulating controller)
Ex 20217-1	1 of 1	1	21 Jul 17	Main housing-NPT1/2"
Ex 20217-2	1 of 1	1	21 Jul 17	Main housing-M20
Ex 30543	1 of 1	1	21 Jul 17	Transmission shaft
Ex 20218	1 of 1	1	21 Jul 17	Top cover
Ex 40830	1 of 1	1	21 Jul 17	Rubber gasket
Ex 40831	1 of 1	1	21 Jul 17	Glass window fixed sheet
Ex 40832	1 of 1	1	21 Jul 17	4th driving gear
Ex 30551	1 of 1	1	21 Jul 17	Bracket
Ex 41575	1 of 1	1	21 Jul 17	Glass window
OME-2-□-□-□, OME-3-□-□-□ Explosion-proof Quarter-Turn Actuator				
Ex10032-1/3	1 of 1	1	21 Jul 17	OME-2 & OME-3 Explosion-proof Quarter-Turn Actuator
Ex10032-2/3	1 of 1	1	21 Jul 17	OME-2 & OME-3 Explosion-proof Quarter-Turn Actuator
Ex10032-3/3	1 of 1	1	21 Jul 17	OME-2 & OME-3 Explosion-proof Quarter-Turn Actuator
Ex20206-1	1 of 1	1	21 Jul 17	Main housing (NPT 3/4")
Ex20206-2	1 of 1	1	21 Jul 17	Main housing (NPT 1/2")
Ex20206-3	1 of 1	1	21 Jul 17	Main housing (M25)
Ex20206-4	1 of 1	1	21 Jul 17	Main housing (M20)
Ex30498	1 of 1	1	21 Jul 17	Casting end cap
Ex30490	1 of 1	1	21 Jul 17	Plate
Ex30487	1 of 1	1	21 Jul 17	Transmission shaft
Ex30497	1 of 1	1	21 Jul 17	Worm
Ex40748	1 of 1	1	21 Jul 17	Screw
Ex40804-1	1 of 1	2	21 Jul 17	Ex plug (NPT 3/4")

This certificate and its schedules may only be reproduced in its entirety and without change

CSA Group Netherlands B.V.
 Utrechtseweg 310,
 6812 AR, Arnhem,
 Netherlands

Certificate Annexe



Certificate Number: Sira 17ATEX1243X

Equipment: OME Series Explosion-proof Quarter-Turn Actuators

Applicant: Sun Yeh Electrical Ind. Co., Ltd.

Drawing	Sheets	Ver.	Date (Sira Stamp)	Title
Ex40804-2	1 of 1	2	21 Jul 17	Ex plug (NPT 1/2")
Ex40804-3	1 of 1	2	21 Jul 17	Ex plug (M25)
Ex40804-4	1 of 1	2	21 Jul 17	Ex plug (M20)
Ex20211	1 of 1	1	21 Jul 17	Top Cover
Ex41570	1 of 1	1	21 Jul 17	Glass window
Ex40787	1 of 1	1	21 Jul 17	Rubber gasket
Ex40786	1 of 1	1	21 Jul 17	Glass window fixed sheet
Ex40790	1 of 1	1	21 Jul 17	PE label for ground
OME-4-□-□-□, OME-5-□-□-□, OME-6-□-□-□ Explosion-proof Quarter-Turn Actuator				
Ex10036-1/3	1 of 1	1	21 Jul 17	OME-4 & OME-5 & OME-6 Explosion-proof Quarter-Turn Actuator
Ex10036-2/3	1 of 1	1	21 Jul 17	OME-4 & OME-5 & OME-6 Explosion-proof Quarter-Turn Actuator
Ex10036-3/3	1 of 1	1	21 Jul 17	OME-4 & OME-5 & OME-6 Explosion-proof Quarter-Turn Actuator
Ex20212-1	1 of 1	1	21 Jul 17	Main housing (NPT 3/4")
Ex20212-2	1 of 1	1	21 Jul 17	Main housing (NPT 1/2")
Ex20212-3	1 of 1	1	21 Jul 17	Main housing (M25)
Ex20212-4	1 of 1	1	21 Jul 17	Main housing (M20)
Ex30531	1 of 1	1	21 Jul 17	Casting end cap
Ex30517	1 of 1	1	21 Jul 17	Plate
Ex30518	1 of 1	1	21 Jul 17	Transmission shaft
Ex30533	1 of 1	1	21 Jul 17	Worm
Ex40793	1 of 1	1	21 Jul 17	Screw
Ex20213	1 of 1	1	21 Jul 17	Top cover
OME-7-□-□-□, OME-8-□-□-□ Explosion-proof Quarter-Turn Actuator				
Ex10043-1/3	1 of 1	1	21 Jul 17	OME-7 & OME-8 Explosion-proof Quarter-Turn Actuator
Ex10043-2/3	1 of 1	1	21 Jul 17	OME-7 & OME-8 Explosion-proof Quarter-Turn Actuator
Ex10043-3/3	1 of 1	1	21 Jul 17	OME-7 & OME-8 Explosion-proof Quarter-Turn Actuator
Ex20219-1	1 of 1	1	21 Jul 17	Main housing (NPT 3/4") (F12)
Ex20219-2	1 of 1	1	21 Jul 17	Main housing (NPT 1/2") (F12)
Ex20219-3	1 of 1	1	21 Jul 17	Main housing (M25) (F12)
Ex20219-4	1 of 1	1	21 Jul 17	Main housing (M20) (F12)
Ex20219-5	1 of 1	1	21 Jul 17	Main housing (NPT 3/4") (F14)
Ex20219-6	1 of 1	1	21 Jul 17	Main housing (NPT 1/2") (F14)
Ex20219-7	1 of 1	1	21 Jul 17	Main housing (M25) (F14)
Ex20219-8	1 of 1	1	21 Jul 17	Main housing (M20) (F14)
Ex30555	1 of 1	1	21 Jul 17	Casting end cap
Ex30557	1 of 1	1	21 Jul 17	Plate
Ex30558	1 of 1	1	21 Jul 17	Transmission shaft
Ex30561	1 of 1	1	21 Jul 17	Worm
Ex40835	1 of 1	1	21 Jul 17	Screw
Nameplates				
Ex 42479	1 of 1	1	02 Aug 17	Nameplate

This certificate and its schedules may only be reproduced in its entirety and without change

CSA Group Netherlands B.V.
 Utrechtseweg 310,
 6812 AR, Arnhem,
 Netherlands

Certificate Annexe



Certificate Number: Sira 17ATEX1243X

Equipment: OME Series Explosion-proof Quarter-Turn Actuators

Applicant: Sun Yeh Electrical Ind. Co., Ltd.

Drawing	Sheets	Ver.	Date (Sira Stamp)	Title
Ex42480	1 of 1	1	02 Aug 17	Nameplate

Issue 1

Drawing	Sheets	Rev.	Date (Sira stamp)	Title
Ex 20213	1 of 1	2	05 Mar 19	Top cover
Ex 20211	1 of 1	2	05 Mar 19	Top Cover
Ex 40804-1	1 of 1	4	05 Mar 19	Ex plug (NPT 3/4")
Ex 40804-2	1 of 1	4	05 Mar 19	Ex plug (NPT 1/2")
Ex 30497	1 of 1	2	05 Mar 19	Worm (for torque switch)
Ex 30533	1 of 1	2	05 Mar 19	Worm (for torque switch)
Ex 30561	1 of 1	2	05 Mar 19	Worm (torque switch)
Ex 10032 – 1/3	1 of 1	2	05 Mar 19	OME-2 & OME-3 Explosion-proof Quarter-Turn Actuator
Ex 10032 – 2/3	1 of 1	2	05 Mar 19	OME-2 & OME-3 Explosion-proof Quarter-Turn Actuator
Ex 10032 – 3/3	1 of 1	2	05 Mar 19	OME-2 & OME-3 Explosion-proof Quarter-Turn Actuator
Ex 10036 – 1/3	1 of 1	2	05 Mar 19	OME-4 & OME-5 & OME-6 Explosion-proof Quarter-Turn Actuator
Ex 10036 – 2/3	1 of 1	2	05 Mar 19	OME-4 & OME-5 & OME-6 Explosion-proof Quarter-Turn Actuator
Ex 10036 – 3/3	1 of 1	2	05 Mar 19	OME-4 & OME-5 & OME-6 Explosion-proof Quarter-Turn Actuator
Ex 10043 – 1/3	1 of 1	2	05 Mar 19	OME-7 & OME-8 Explosion-proof Quarter-Turn Actuator
Ex 10043 – 2/3	1 of 1	2	05 Mar 19	OME-7 & OME-8 Explosion-proof Quarter-Turn Actuator
Ex 10043 – 3/3	1 of 1	2	05 Mar 19	OME-7 & OME-8 Explosion-proof Quarter-Turn Actuator
Ex 10044 – 1/2	1 of 1	2	05 Mar 19	OME-1-F Explosion-proof Quarter-Turn Actuator
Ex 10044 – 2/2	1 of 1	2	05 Mar 19	OME-1-F Explosion-proof Quarter-Turn Actuator
Ex 10047 – 1/2	1 of 1	2	05 Mar 19	OME-1-M Explosion-proof-Modulating controller Quarter-Turn Actuator
Ex 10047 – 2/2	1 of 1	2	05 Mar 19	OME-1-M Explosion-proof-Modulating controller Quarter-Turn Actuator
Ex 10048 – 1/2	1 of 1	2	05 Mar 19	OME-A-M Explosion-proof Quarter-Turn Actuator(modulating controller)
Ex 10048 – 2/2	1 of 1	2	05 Mar 19	OME-A-M Explosion-proof Quarter-Turn Actuator(modulating controller)
Ex 10049 – 1/2	1 of 1	2	05 Mar 19	OME-AM-M Explosion-proof Quarter-Turn Actuator(modulating controller)
Ex 10049 – 2/2	1 of 1	2	05 Mar 19	OME-AM-M Explosion-proof Quarter-Turn Actuator(modulating controller)
Ex 10050 – 1/2	1 of 1	2	05 Mar 19	OME-A-F Explosion-proof Quarter-Turn Actuator
Ex 10050 – 2/2	1 of 1	2	05 Mar 19	OME-A-F Explosion-proof Quarter-Turn Actuator
Ex 10051 – 1/2	1 of 1	2	05 Mar 19	OME-AM-F Explosion-proof Quarter-Turn Actuator
Ex 10051 – 2/2	1 of 1	2	05 Mar 19	OME-AM-F Explosion-proof Quarter-Turn Actuator
Ex 30498	1 of 1	2	05 Mar 19	Casting end cap (for torque switch)
Ex 30555	1 of 1	2	05 Mar 19	Casting end cap (torque switch)
Ex 40748	1 of 1	2	05 Mar 19	Screw

This certificate and its schedules may only be reproduced in its entirety and without change

CSA Group Netherlands B.V.
 Utrechtseweg 310,
 6812 AR, Arnhem,
 Netherlands

Certificate Annexe



Certificate Number: Sira 17ATEX1243X

Equipment: OME Series Explosion-proof Quarter-Turn Actuators

Applicant: Sun Yeh Electrical Ind. Co., Ltd.

Drawing	Sheets	Rev.	Date (Sira stamp)	Title
Ex 42479	1 of 1	2	05 Mar 19	Nameplate
Ex 42480	1 of 1	2	05 Mar 19	Nameplate

Issue 2. No new drawings were introduced.

Issue 3.

Drawing	Sheets	Rev.	Date (Stamp)	Title
Ex10032-1/3	1 of 1	3	28 May 20	OME-2 & OME-3 Explosion-proof Quarter-Turn Actuator
Ex10032-2/3	1 of 1	3	28 May 20	OME-2 & OME-3 Explosion-proof Quarter-Turn Actuator
Ex10032-3/3	1 of 1	3	28 May 20	OME-2 & OME-3 Explosion-proof Quarter-Turn Actuator
Ex 10036 – 1/3	1 of 1	3	28 May 20	OME-4 & OME-5 & OME-6 Explosion-proof Quarter-Turn Actuator
Ex 10036 – 2/3	1 of 1	3	28 May 20	OME-4 & OME-5 & OME-6 Explosion-proof Quarter-Turn Actuator
Ex 10036 – 3/3	1 of 1	3	28 May 20	OME-4 & OME-5 & OME-6 Explosion-proof Quarter-Turn Actuator
Ex 10043 – 1/3	1 of 1	3	28 May 20	OME-7 & OME-8 Explosion-proof Quarter-Turn Actuator
Ex 10043 – 2/3	1 of 1	3	28 May 20	OME-7 & OME-8 Explosion-proof Quarter-Turn Actuator
Ex 10043 – 3/3	1 of 1	3	28 May 20	OME-7 & OME-8 Explosion-proof Quarter-Turn Actuator
Ex 10044 – 1/2	1 of 1	3	28 May 20	OME-1-F Explosion-proof Quarter-Turn Actuator
Ex 10044 – 2/2	1 of 1	3	28 May 20	OME-1-F Explosion-proof Quarter-Turn Actuator
Ex 10047 – 1/2	1 of 1	3	28 May 20	OME-1-M Explosion-proof-Modulating controller Quarter-Turn Actuator
Ex 10047 – 2/2	1 of 1	3	28. May 20	OME-1-M Explosion-proof-Modulating controller Quarter-Turn Actuator
Ex 10048 – 1/2	1 of 1	3	28 May 20	OME-A-M Explosion-proof Quarter-Turn Actuator (modulating controller)
Ex 10048 – 2/2	1 of 1	3	28 May 20	OME-A-M Explosion-proof Quarter-Turn Actuator (modulating controller)
Ex 10049 – 1/2	1 of 1	3	28 May 20	OME-AM-M Explosion-proof Quarter-Turn Actuator (modulating controller)
Ex 10049 – 2/2	1 of 1	3	28 May 20	OME-AM-M Explosion-proof Quarter-Turn Actuator (modulating controller)
Ex 10050 – 1/2	1 of 1	3	28 May 20	OME-A-F Explosion-proof Quarter-Turn Actuator
Ex 10050 – 2/2	1 of 1	3	28 May 20	OME-A-F Explosion-proof Quarter-Turn Actuator
Ex 10051 – 1/2	1 of 1	3	28 May 20	OME-AM-F Explosion-proof Quarter-Turn Actuator
Ex 10051 – 2/2	1 of 1	3	28 May 20	OME-AM-F Explosion-proof Quarter-Turn Actuator
Ex 40832-1	1 of 1	1	28 May 20	4th driving gear
Ex 42479	1 of 1	4	5. Aug 20	Nameplate
Ex 42480	1 of 1	4	5. Aug 20	Nameplate

This certificate and its schedules may only be reproduced in its entirety and without change

CSA Group Netherlands B.V.
 Utrechtseweg 310,
 6812 AR, Arnhem,
 Netherlands